

3-DAY

MAJOR WEBCAST AUCTION

SAN ONOFRE NUCLEAR GENERATING STATION

LATE MODEL LARGE CAPACITY
CNC & MANUAL MACHINE SHOPS,
HEAVY & SHEET METAL FABRICATION EQUIPMENT,
NUCLEAR PLANT EQUIPMENT & RELATED ITEMS

**AUCTION: 10:00 AM PDT
WEDNESDAY, MARCH 26, THURSDAY, MARCH 27 AND
FRIDAY, MARCH 28**

LOCATION: 14300 MESA ROAD, SAN CLEMENTE, CA

**INSPECTION: MONDAY, MARCH 24 & TUESDAY, MARCH 25
FROM 8:00 AM TO 4:00 PM PDT**



**MACHINERY
RESOURCES
INTERNATIONAL, INC.**

www.mriauctions.com

1650 Voyager Ave., Ste. A, Simi Valley, CA 93063
info@mriauctions.com | 818.346.7985

Roy Gamityan, Auctioneer

*Sale in
Conjunction
With:*



9310 Garvey Ave., South El Monte, CA 91733

www.sterlingmachinery.com

3-DAY**DAY-1****MAJOR WEBCAST AUCTION****SAN ONOFRE NUCLEAR GENERATING STATION****AUCTION:**

Wednesday, March 26, Thursday, March 27 and Friday, March 28
10:00 AM PDT.

INSPECTION:

Monday, March 24 & Tuesday, March 25 from 8:00 AM to 4:00 PM PDT.

SPECIAL ONSITE CONDITIONS:

Armed Secured & High Safety Protocol Facility. All Attendees Must Have a Valid Driver's License or Passport and Sign a Waiver to Gain Access to the Premises. No Person Under the Age of 18 Allowed Entrance at Any Time, No Open Toe Shoes or Short Pants.

TERMS OF PAYMENT:

Cash, Cashier's Check, Business Check with Bank Letter of Guarantee, Bank Wire Transfer. Full Payment Must Be Made No Later Than 48 Hours of Winning Bid.

BUYER'S PREMIUM:

13% For All Onsite Purchases. 16% For All Online Purchases.

ONSITE AND ONLINE REGISTRATION INFORMATION:

All Onsite Bidders Required a \$500 Cash Deposit or Bank Letter of Guarantee To Obtain a Bidders Paddle. Online Bidders Must Wire Transfer a \$5,000 Deposit To Bid Online at Bidspotter.com no later than 72 Hours of Auction. Check Website for Further Details.

MACHINERY REMOVAL:

Rigging & Loading of All Machinery, Equipment and Cranes Provided Exclusively By Coast Machinery Movers. Check Buyer's Catalog for Removal Fees. Trucking and Transportation is the Responsibility of the Buyers.

SALE SITE DIRECTIONS:

Take The 5 FWY To San Clemente and Exit Basilone Road (SAN ONOFRE). Turn Towards The Beach and Follow Old Pacific Highway South To Stop Light. Turn Right To Guard Station. Identify Yourself To The Security Guard As An Auction Attendee. Follow Directions To Warehouse Road Parking.

For Complete Information Please Visit:

www.mriauctions.com

Email: Roy@mriauctions.com

or Call: 818-346-7985

ONLINE BIDDING AVAILABLE AT



**MACHINERY
RESOURCES
INTERNATIONAL, INC.**

www.mriauctions.com

1650 Voyager Ave., Ste. A, Simi Valley, CA 93063
info@mriauctions.com | 818.346.7985

**LARGE HEAVY DUTY SLIDING BED LATHE**

LEBLOND, SERIES NK 4025, 40" X 444", 25" SWING OVER CROSS SLIDE, 57" 4-JAW CHUCK, 5-600 RPM SPINDLE SPEED, TAILSTOCK, TAPER ATTACHMENT, TOOL POST HOLDER, (2) 14" STEADY RESTS, HARDENED & GROUND WAYS, THREAD DIAL, 75 HP, COOLANT, S/N 3NK942-R2877

**TABLE TYPE HORIZONTAL BORING MILL**

TOS W100 A, 3.93" SPINDLE, ISO 50 TAPER, MAX DIAMETER FACE TURNING: 35.43", TRAVELS: X- 63", Y-44", Z-49", 49" X 49" ROTARY TABLE, 6,600 LB CAPACITY TABLE, TAIL STOCK, FACING HEAD, NUMBER OF SPEEDS 23, 1120 RPM, 4 AXIS DRO, 15 HP, S/N 26-28

**ENGINE LATHES**

LEBLOND 2516 HEAVY DUTY, 28" X 150" CC, 11.75" SWING OVER CROSS SLIDE, 10" 4 JAW CHUCK, 4" HOLE THRU, 22.4-1120 RPM, TAPER ATTACHMENT, (2) STEADY REST, THREADING, COOLANT SYSTEM, SONY DRO, S/N 3NFI1288

MORI SEIKI MR 2000, 20" X 80" CC, 11.75" SWING OVER CROSS SLIDE, 8" 4 JAW CHUCK, 4" HOLE THRU, 22.4-1120 RPM, TAILSTOCK, STEADY REST, S/N 4572

LEBLOND, 20" X 80" CC, 3" HOLE THRU, 3 JAW CHUCK, (2) STEADY RESTS, FOLLOW REST, TAPER ATTACHMENT, COOLANT SYSTEM, 2 AXIS DRO, S/N 8203-02

LEBLOND, 20" X 80" CC, 3" HOLE THRU, 3 JAW CHUCK, (2) STEADY RESTS, FOLLOW REST, TAPER ATTACHMENT, COOLANT SYSTEM, 2 AXIS DRO, S/N 8203-02



VERTICAL HIGH COLUMN TURRET LATHE

1988 BULLARD DYNATROL, 46" ROTARY 4-JAW POWER CHUCK, MAX TURNING DIAMETER W/SIDE HEAD: 58", MAX TURNING HEIGHT UNDER RAIL: 64", 5-POSITION SWIVAL HEAD, SIDE HEAD, TWO RANGE HEAD STOCK, SCAN-O MATIC TRACER, PENDANT CONTROL, 50 HP, ACCU-RITE DRO, S/N 33056

VERTICAL BAND SAWS

MARVEL SERIES 8 MARK II, TILTING HEAD, S/N 830587

DOALL 2613-3, 68" X 15" TABLE, 26" THROAT, BLADE WELDER & GRINDER, 186" BLADE, HYDRAULIC FEED TABLE, S/N 198-76432



ENGINE LATHES *Continued...*

LION C-10TM, GAP BED, 28" X 84", 37" SWING IN GAP, 19-1/2" SWING OVER CROSS SLIDE, 20"- 4 JAW INDEPENDENT CHUCK, 15"- 3 JAW CHUCK, 4" HOLE THRU, 22.4-1120 RPM, TAILSTOCK, (2) STEADY RESTS, SN 42941

WEBB, GAP BED, 20" X 80" CC, 29" SWING IN GAP, 3" HOLE THRU, 4 JAW CHUCK, (2) STEADY RESTS, COOLANT SYSTEM, FOOT BRAKE, 2 AXIS DRO, S/N 8203-02



VERTICAL MILLS

BRIDGEPORT SERIES II SPECIAL, 58" X 11" TABLE, POWER DRAW BAR, POWER FEED, 2 AXIS DRO

BRIDGEPORT EZ TRAK II, 58" X 11" TABLE, POWER FEED, POWER DRAW BAR

BRIDGEPORT J HEAD, 48" X 9" TABLE, POWER FEED, 2 AXIS DRO



HORIZONTAL MILLS

KEARNEY & TRECKER, S-15 310, VERTICAL HEAD, 68" X 15" TABLE, DRO, BOX WAYS, S/N 5476083



CNC FLAT BED LATHES

TRAK TRL 1840 SX, PROTO TRAK SLX CNC CONTROL, 18.5" X 40" CC, 9" SWING OVER CROSS SLIDE, 2500 RPM GEARED HEADSTOCK, 2.36" SPINDLE BORE, 3- JAW CHUCK, TAILSTOCK, S/N 1073CQ15857

BRIDGEPORT ROMI EZ PATH, 17" X 40" CC, 4000 RPM, 2" SPINDLE BORE, EZ PATH-S CNC CONTROL, S/N NA

CNC BED MILL

TRAK FHM 7, TRAVELS: X-60" X Y-23" X Z-20.5", TABLE SIZE: 76" X 14", 40 TAPER SPINDLE, 200-5000 RPM, PROTO TRAK SMX CNC CONTROL, 7.5 HP, S/N 074CY15902

RADIAL ARM DRILL

CARLTON, 6' ARM, 17" COLUMN, TILTING BOX TABLE, S/N 4A-5816



CNC BALANCING INSTRUMENT

ENTEK IRD 290 BALANCING MACHINE

VERTICAL/HORIZONTAL KNEE MILLS

PRO MILL AC-4KV, 52" X 11" TABLE, POWER DRAW BAR, POWER FEED, 2 AXIS DRO, S/N 011399

PRO MILL AC-4KV, 47" X 17" TABLE, POWER DRAW BAR, POWER FEED, 2 AXIS DRO, S/N 021506

NICOLAS CORREA VC 55 VERTICAL/HORIZONTAL, ACCU-RITE DRO, SOUTHBEND F2UE, 52" X 11" TABLE, S/N 5104029, S/N 222D393

CNC TABLE TYPE HORIZONTAL BORING MILL

2003 SNK IKEGAI NB 130P E3.5, 5.118" SPINDLE DIAMETER, TRAVELS: X-137", Y-98", Z-63", W-27.5", TABLE SIZE: 70.86" X 63", ROTARY TABLE CAPACITY: 22.045 LBS, 2,500 RPM SPINDLE SPEED, CAT 50 TAPER SPINDLE, COOLANT THRU SPINDLE, RIGID TAPPING, 35 HP, 60 ATC, COOL POWER, FANUC 16iMB CNC CONTROL, 5 AXIS SIMULTANEOUS CONTROL, STEEL WAY COVERS, CHIP CONVEYOR, S/N NB4002

2003



FULL
4TH-AXIS

CNC VERTICAL BRIDGE MILL

2001 VIPER V-4000 GXT, TRAVELS: X-157.5", Y-77.60", Z-42.13", SINDLE END TO COLUMN: 13.66", DISTANCE BETWEEN COLUMNS: 86.6" TABLE SIZE: 161.4" X 72", 24,250 TABLE LOAD, 6,000 RPM SPINDLE, CT 50 TAPER SPINDLE, 35 HP UPGRADE, SIDE MOUNT 60 ATC, FANUC 18MC CNC CONTROL, FANUC HPCC.64BIT RISC PR, COOL JET CHIP BLASTER, S/N 3733



CNC 4 ROLL PLATE BENDER

2002 MG ITALIA, TYPE EH-325 E, HYDRAULIC, 380 MM TOP ROLL, 350 MM LOWER ROLL, 290 MM SIDE ROLL, MAX. BENDING LENGTH 3.100MM, MAX. THICKNESS 25 MM, CN-WIN 98 CNC CONTROL, S/N 01262



CNC LONGITUDINAL SEAM WELDERS

JETLINE LWF-180-57515, 240" BED, COLD WIRE FEEDER, S/N 010597

JETLINE TKM-48M, S/N 890701

WELDING MANIUPULATOR

JETLINE WHL-5C-10X10K, S/N 010601



PRESS BRAKE

WYSONG 150-10, 12' X 150 TON CAPACITY, HYDRAULIC, 120" BETWEEN HOUSING, MOTORIZED RAM ADJUSTMENT, AIR FOOT PEDAL, PROTECH LIGHT CURTAINS, FRONT OPERATED BACK GAUGE, S/N P1341130

POWER TANK TURNING ROLLS

2007 PANDJIRIS PR-50 PR, 50,000 LB TURNING CAPACITY, 10,000 LB LOAD CAPACITY, 6" to 180" DIAMETER RANGE, PIPE DIAMETER RANGE: 6" -15', 16" WHEELS, S/N 13213X07
(2) 2001 PANDJIRIS PR-30, 30,000 LB TURNING CAPACITY, 17,000 LB LOAD CAPACITY, 6" to 180" DIAMETER RANGE, PIPE DIAMETER RANGE: 6" -15', 16" WHEELS, S/N'S 13212X00-2, 13212X00

SHEET METAL EQUIPMENT

CHICAGO SB 1014 HAND BRAKE, 10' X 14 GAUGE, S/N 329643T

PEXTO 4' POWER PLATE ROLL, LIGHT CURTAINS

PEXTO 299-C RING & CIRCLE SHEAR, 20 GAUGE, S/N 5755

PEXTO 0617 POWER FEED CRIMPER. 18 GAUGE, S/N 4-90

WESTERN 30 KVA SPOT WELDER, 24" ARMS, S/N FG761

TENNSMITH 30 CLEAT BENDER, 24 GAUGE

LOCKFORMER PITTSBURGH, 16 GAUGE



1 OF 4



TURBINE HEAT EXCHANGERS

(4) NEW 2011-2009 THERMAL ENGINEERING INTERNATIONAL TURBINE PLANT COOLING WATER HEAT EXCHANGERS, DIMENSIONS: 79" O.D., OVERALL LENGTH: 494", WEIGHT: 73.000 IBS, PLATTO CAR COATING ON THE CANNEL COVER AND NOZZLES, NEVER USED OR INSTALLED




RELATED ITEMS TO BE SOLD OVER 3-DAYS

(75) 20' STORAGE CONTAINERS, PIRANHA P-70 IRON WORKER, AVO CIRCUIT BREAKER TEST MODEL CB-8100 MACHINES, ARL METALS ALLOY TESTER, SATEC SYSTEMS EXTEND FRAME "A" CALIBRATION MACHINE, FLUIDS & PNEUMATIC TEST BOOTH, BROWN & SHARPE LX-810 CMM, DELTRONIC OPTICAL COMPARATOR, PARKER FILTRATION MODEL PVS600 OIL PURIFICATION SYSTEM, S/N 63627-K, SEVERAL VIDMAR, LISTA & EQUIPTO CABINETS, 2011 ANVER VAC PAK VACUUM LIFTER, DORINGER D350 SAW, STRONG HOLD METAL CABINETS, KURT VISES, DOALL 8" X 24" SURFACE GRINDER, DRILL PRESSES, H-FRAME PRESSES, 20" DISC SANDER, STERLING TOOL GRINDER, SHOT BLAST CABINETS, MAG BASED DRILLS, DAYTON & MILWAUKEE GRINDERS, WELDING & ACORN TABLES, DRY ROD OVENS, EXHAUST FANS, TOOL CABINETS, POWER & HAND TOOLS, PAINTER'S PORTABLE BLAST EQUIPMENT, GREENLEE POWER BENDING EQUIPMENT, SCREEN PRINTER, DARK ROOM EQUIPMENT, RIGGING EQUIPMENT, PIPE INSULATION, HVAC, BAUER LIFTS, COMPRESSOR BREATHING AIR PRESSURE TANK, INTERLAKE PALLET RACKING & MANY MORE RELATED ITEMS—*TOO MUCH TO LIST!*



OUTDOOR TENT

BIG TOP, 10,000 SQ. FT., POWER DOORS



2008



3-DAY

MAJOR WEBCAST AUCTION

SAN ONOFRE NUCLEAR GENERATING STATION

AUCTION: 10:00 AM PDT WEDNESDAY, MARCH 26, THURSDAY, MARCH 27 AND FRIDAY, MARCH 28

LOCATION: 14300 MESA ROAD, SAN CLEMENTE, CA

INSPECTION: MONDAY, MARCH 24 & TUESDAY, MARCH 25, FROM 8:00 AM TO 4:00 PM PDT



**MACHINERY
RESOURCES
INTERNATIONAL, INC.**

www.mriauctions.com

**1650 Voyager Avenue, Ste. A
Simi Valley, CA 93063**

Roy Gamityan, Auctioneer

PRESORTED
FIRST CLASS MAIL
US POSTAGE
PAID
LOS ANGELES, CA
PERMIT NO 32365

3-DAY

MAJOR WEBCAST AUCTION

SAN ONOFRE NUCLEAR GENERATING STATION

**OVERHEAD & FREE STANDING
BRIDGE CRANES**

CRANEVEYOR 25 TON, 40' X 320' SPAN

ACCO 6 TON, TOP RIDING, S/N 2-10-2088

SEVERAL CRANEVEYOR & DETROIT CRANES UP 5 TON

2011 CRANEVEYOR 5 TON JIB



TRAINING AIDS

**BLIND FLANGE HYDRAULIC TENSIONING SYSTEM, TWO STAGE
MICRO TENSIONER, TOOL MOCK UPS AND RELATED ITEMS**

